


Silvertop Ash

Eucalyptus Sieberi

Straight-grained timber that often features gum veins, ambrosia, growth rings and pencil steaks which add individuality to any project. The colour palette ranges from pale to medium browns with a hint of pink. Provides good fire resistance. .

Application Suitability

Furniture • Joinery • Flooring • Decking & Cladding



| | |
|---------------------------------|-------|
| Density | 850 |
| Specific Gravity | 0.68 |
| Modulus of Rupture (Mpa Dry) | 136 |
| Modulus of Elasticity (Gpa Dry) | 17 |
| Radial Shrinkage | 5% |
| Tangential Shrinkage | 10.6% |

| | |
|----------------------------|------|
| Hardness (janka) (kN) | 9.0 |
| BAL | 29.0 |
| Finish | Good |
| Gluing | Good |
| Machining | Good |
| Sapwood Lyctid susceptible | No |

| | |
|---------------------------|-----------|
| Stability | Good |
| Durability | Durable |
| Screwing Split Resistance | Fair |
| Nailing Split Resistance | Fair |
| Growing region | Australia |
| Availability | Available |

BT Tasmania
(03) 6452 2522
3 Brittons Road
Smithton, TAS 7330

BT New South Wales
(02) 8783 9900
116-118 Jemma Road
Prestons, NSW 2170

BT Queensland
(07) 3888 3351
100 Potassium Street
Narangba, QLD 4504

BT Victoria
(03) 8769 7111
25 Gaine Road
Dandenong, VIC

BT International
+61 2 8783 9900
116-118 Jemma Road
Prestons, NSW 2170

BT Veneer Products
(03) 6435 1108
2 Elizabeth St
Somerset TAS 7322

