

DRY GRADING GUIDELINES

Red Heart Leatherwood & Black Heart Sassafras

Rough Sawn

Select Grade

Minimum length	0.6 metres
Burls	Unlimited
Sapwood	Unlimited
Stain	Unlimited
Bark Groove	Maximum length 20mm, maximum width 5mm, maximum of one per board length
Surface checks	Slight checks permitted if removable by normal dressing
Knots	Solid knots permitted, maximum of one sound knot per 2 metres of board length
Wane	5mm on edge and face
Want	5mm on edge and face
Grub holes	Not permitted
Pinholes	Maximum of five in any one metre of length
Primary or dry rot	Not permitted
End splits	Not permitted
Heart & heart shake	Not permitted